



DISHWASHING PRICE LIST

May 1st 2010



Together we evolve



www.fagorcommercial.com

Evolution

From 1960 till today.

A history marked by belief in talent and perseverance.

Fagor Industrial is currently a reference brand thanks to its range of solutions focused on professional needs.

Fagor Industrial was established in 1960, selling industrial enameled cooktops for the hotel and the restaurant sector. Soon, the company began manufacturing its own products, expanding its product range to include commercial dishwashing, refrigeration and laundry equipment.

For years, Fagor Industrial has continued to expand its range of products and services, developing a wide range of cooktops, ovens, refrigeration and buffet units. All while perfecting its range of laundry products to include ironers, dryers and a wide range of products for laundry finishing.

Our state of the art plant in Oñati Spain is dedicated to producing high quality Ware Washing equipment. Manufacturing every aspect of the Ware Washing segment. Our dishwasher are designed and constructed to reduce water consumption and use less electricity earning an Energy Star rating. We continue to expand our offering as we continue to expand our Factories. Recently Fagor has built new factories in Poland, Turkey, China and Mexico. Fagor Industrial is a part of Mondragon, the most prominent corporate group in the Basque Country and the seventh largest company in Spain.

Fagor Industrial is a part of Mondragon, the most prominent corporate group in the Basque Country and the seventh largest company in Spain.

It includes more than 330 companies and organizations divided into three areas: Financial, Industrial and Distribution. Currently, employs more than 93,000 people and has more than 70 companies outside of the country of Spain.



Together we evolve

At Fagor Industrial we believe that joint effort leads to the best solutions. We are focused on giving the best of ourselves to achieve success, together.

Together, always within your reach, to listen and work proactively. Working as a team with a spirit; is the essence of the company. We reach employees, clients, distributors and professionals alike.

Fagor industrial is the sum of the people who make the company successful. We are the ones that make Fagor a prestigious company around the world.

People who strive to improve day by day. Talented and dedicated people who are firmly focused on going one step further.

We live in a world in motion, we are required to evolve, innovate; search for the best and most efficient solutions. We strive for the best, for excellence and to create value.

At Fagor Industrial, this spirit of evolution has allowed us to become what we are today. We are convinced that this is the road to achievement, to continue learning and be motivated, to grow and help others grow.

Specifications

- High temperature sanitation to protect your ware from harmful chemicals during final rinse. Your glasses will come out cleaner and dryer than chemical sanitation methods.
- Built-in electric booster heater that will raise the temperature 70°F to the NSF required temperature of 180°F for sanitation.
- **Built-in Drain pump.**
- **Built-in Detergent & Rinse pump.**
- Unique "Manual Cool Down" designed specifically for bar applications to cool your glasses and provide a damp glass for your glass froster.
- Auto-fill will take the guess work of filling your machine to ensure the proper water levels in your unit at all times.
- All heavy duty stainless steel construction, Type 304. Top and side panels included.

Standard with:

- (2) All purpose 16" x 16" flat racks.
- (1) Cutlery container.
- (1) Supplement for dishes.



Model	Production (Racks/hour)	Power (KW)	Voltage (Volts/Hz/Ph)	Cabinet Dimensions			Shipping (lbs/cu.ft)	List Price
				L	D	H		
LVC-21W	22	3.1	208-240/60/1	18-1/2"	20-1/2"	28-1/3"	105 / 10	\$ 3,615

UNDERCOUNTER DISHWASHER

Specifications

- High temperature sanitation to protect your ware from harmful chemicals during final rinse. Your ware will come out cleaner and dryer than chemical sanitation methods.
- **Efficient 16 total amp draw and less than 1 gallon water consumption per rack.**
- Built-in electric booster heater that will raise the temperature 70°F to the NSF required temperature of 180°F for sanitation.
- Built-in Drain pump.
- Built-in Detergent & Rinse pump.
- Unique "Hot Water Assurance" feature which guarantees 180° F final rinse.
- Auto-fill will take the guess work of filling your machine to ensure the proper water levels in your unit at all times.
- All heavy duty stainless steel construction, Type 304. Top and side panels included.
- Filter system above the water line to keep your tank water cleaner and free from large debris.
- The unit can be used as a Dishwasher or Glasswasher.

Standard with:

- (1) 20" x 20" Flat Rack.
- (1) 20" x 20" Peg Rack.



Model	Production (Racks/hour)	Power (KW)	Voltage (Volts/Hz/Ph)	Cabinet Dimensions			Shipping (lbs/cu.ft)	List Price
				L	D	H		
FI-48W	22	3.5	208-240/60/1	23-1/4"	23-1/2"	32-1/4"	160 / 15	\$ 4,050



Specifications

- High temperature sanitation to protect your ware from harmful chemicals during final rinse. Your ware will come out cleaner and dryer than chemical sanitation methods.
- High production does not mean higher energy cost. With 35 racks per hour production requiring only 32 amp total draw and less than 1 gallon of water per rack.
- Built-in electric booster heater that will raise the temperature 70°F to the NSF required temperature of 180°F for sanitation.
- **Built-in Drain pump.**
- **Built-in Detergent & Rinse pump.**
- Unique "Hot Water Assurance" feature which guarantees 180°F final rinse.
- All heavy duty stainless steel construction, Type 304. Top and side panels included.
- Filter system above the water line to keep your tank water cleaner and free from large debris.
- The unit can be used as a Dishwasher or Glasswasher.

Standard with: (1) 20" x 20" Flat Rack.
(1) 20" x 20" Peg Rack.



Model	Production (Racks/hour)	Power (KW)	Voltage (Volts/Hz/Ph)	Cabinet Dimensions			Shipping (lbs/cu.ft)	List Price
				L	D	H		
FI-64W	35	6.7	208-240/60/1-3	23-1/4"	23-1/2"	32-1/4"	160 / 15	\$ 4,354

ALL PURPOSE "HYBRID" DISHWASHER

Specifications

- High temperature sanitation to protect your ware from harmful chemicals during final rinse. Your ware will come out cleaner and dryer than chemical sanitation methods.
- By raising the unit to 47-1/2" high, Fagor has been able to create a Hybrid in a world of commercial dishwashers. Ergonomically designed for easy loading and unloading and a 16-1/2" high cavity to accept larger ware including trays.
- Built-in electric booster heater that will raise the temperature 70°F to the NSF required temperature of 180°F for sanitation.
- Built-in Detergent & Rinse pump.
- Unique "Hot Water Assurance" feature which guarantees 180°F final rinse.
- Auto-fill will take the guess work of filling your machine to ensure the proper water levels in your unit at all times.
- All heavy duty stainless steel construction, Type 304. Top and side panels included.
- Filter system above the water line to keep your tank water cleaner and free from large debris.

Standard with: (1) 20" x 20" Flat Rack.
(1) 20" x 20" Peg Rack.
(1) 20" x 20" Tray Rack.



Model	Production (Racks/hour)	Power (KW)	Voltage (Volts/Hz/Ph)	Cabinet Dimensions			Shipping (lbs/cu.ft)	List Price
				L	D	H		
FI-72W	35	6.7	208-240/60/1-3	23-1/4"	23-1/2"	46-1/2"	180 / 20	\$ 4,574



Specifications

- High temperature sanitation to protect your ware from harmful chemicals during final rinse. Your ware will come out cleaner and dryer than chemical sanitation methods.
- Built-in electric booster heater that will raise the temperature 70°F to the NSF required temperature of 180°F for sanitation.
- Unique "Hot Water Assurance" feature which guarantees 180°F final rinse.
- Complete hood system to allow full production flow during the usage of your dishwasher. (No channels to work around) Counterbalanced with safety micro switch which starts the unit upon closing of the hood.
- Built-in Detergent & Rinse pump.
- Two powerful 1 H.P. wash pumps motors move more water over your ware while only utilizing less than 1 gallon of water per rack.
- All heavy duty stainless steel construction, Type 304.
- Field adjustable straight-thru or corner design.
- Three time settings (55, 75 and 120 sec.) for different types of ware
- Delime / Manual wash switch.

Standard with: (1) 20" x 20" Flat Rack.
(1) 20" x 20" Peg Rack.



Model	Production (Racks/hour)	Power (KW)	Voltage (Volts/Hz/Ph)	Cabinet Dimensions			Shipping (lbs/cu.ft)	List Price
				L	D	H		
FI-120W	60	17	208-240/60/1-3	26-1/2"	29"	56-1/2"	330 / 32	\$ 8,927

SINGLE TANK CONVEYOR

Specifications

- Energy and water saver design, only 119 gallons per hour while producing 150 racks per hour.
- Built-in electric booster heater (40° rise) - (FI-200W).
- FI-200W-NB - Comes without booster!
- Two powerful 1 H.P. wash pumps motors move more water over your ware.
- All heavy duty stainless steel construction, Type 304.
- Two speed motor.
- Energy savings auto-start feature leave the unit on standby until a rack is placed in the entrance of your machine.
- The 46" insulated door prevents heat from escaping and gives you greater access to your tank for cleaning and service.
- Single point electrical and single point plumbing connection saves you money during installation.
- Top mounted control panel.
- Electric tank heater.
- Table Limit Switch - included.



Model	Production (Racks/hour)	Power (KW)	Voltage (Volts/Hz/Ph)	Cabinet Dimensions			Shipping (lbs/cu.ft)	List Price
				L	D	H		
FI-200W	150	45	208-240/60/3	46"	30-3/4"	62"	660 / 83	\$ 14,658
FI-200W-NB	150	14	208-240/60/3	46"	30-3/4"	62"	640 / 83	\$ 12,990




DISHTABLES FOR FI-48W / FI-64W

Reference	Description	Price List
STAINLESS STEEL U/C DISHTABLES		
FUDT-48 (L)(R)	Dishtable 48"- Specify L or R	\$ 1050
FWS-42	Wall Sorting Shelf - 42"	\$ 400
FTWS-42	Tubular Sorting Shelf - 42"	\$ 580
FSB-20	Pre rinse basket - slide bars	\$ 450
PRF-SM	Pre rinse faucet - Spl Mount	\$ 450



FUDT-48L



FTWS-42



FWS-42

DISHTABLES FOR FI-120W / FI-200W

Reference	Description	Price List
STAINLESS STEEL DISHTABLES		
FCD-36 (L) (R)	36" Clean - Specify L or R	\$ 600
FSD-36 (L) (R)	36" Soiled - Specify L or R	\$ 825
FCD-48 (L) (R)	48" Clean - Specify L or R	\$ 650
FSD-48 (L) (R)	48" Soiled - Specify L or R	\$ 885
FCD-60 (L) (R)	60" Clean - Specify L or R	\$ 700
FSD-60 (L) (R)	60" Soiled - Specify L or R	\$ 950
PRF-SM	Pre rinse faucet - Spl Mount	\$ 450



FSD-36L



FCD-48R

COMMON ACCESSORIES

ALL EQUIPMENT EXCEPT LVC-21W		
Reference	Description	Price List
2101742100	All purpose rack, 20"x20"	\$40
2101742101	Peg Rack, 20"x20"	\$30
2101742104	Glass rack, 20"x20" 16 compart. 4-3/8" x 4-3/8" x 3" High	\$40
2101742123	Cutlery Container	\$5
2100429100	Cutlery grid for 20"x20" rack	\$50
2101742102	Tray Rack, 20"x20"	\$50
WPR-G	Water Pressure Regulating Valve w/ Gauge (unmonted)	\$260
N-170-M2	Drain Water Tempering Valve	\$875



Tray Rack, 20"x 20"



Peg Rack, 20" x 20"




All Purpose Rack, 20" x 20"



Cutlery Container

SPECIFIC ACCESSORIES

Reference	Description	Price List
LVC-21W		
Z445320	All purpose rack, 16" x 16"	\$45
Z625302	Supplement for dishes	\$25
Z605303	Cutlery container	\$10
R1616-9	9 compartment rack insert 4-1/4" X 4-1/4" X 4-3/4" High compt.	\$45
R1616-16	16 compartment rack insert 3-1/8" X 3-1/8" X 4-3/4" High compt.	\$45
BS-6	6" base stand	\$320
FI-48W / FI-64W		
BS-6	6" Base Stand	\$320
1210305185	16" High Stand	\$400
FI-120W		
Z102307	Water Pressure Regulating Valve (unmonted)	\$140
VFC	Vent Fan Control	\$210
FI-200W		
VFC	Vent Fan Control	\$210
1210309620	Vent Hood Kit w/ Curtain	\$520



Supplement for Dishes



9 Compartment Rack



LIMITED WARRANTY



Warranty: Fagor Commercial, Inc. ("Fagor") warrants to the first-end-user purchaser (the "User") that the Fagor brand equipment sold hereunder, except for parts and accessories which carry the warranty of a supplier (the "Equipment") will be free from defects in material and factory workmanship under normal conditions of use and maintenance for a period of (1) one year from the date of Installation (Warranty Commencement date), but in no event to exceed (15) fifteen months from the date of shipment.

Warranty Coverage: If there is a defect in material or factory workmanship covered by this Warranty reported to Fagor during the period the applicable Warranty is in force and effect, Fagor will repair or replace, at Fagor's option, that part of the Equipment that has become defective. Fagor will cover labor cost within one year from the Warranty Commencement date or 15 months from shipment date, whichever occurs first with the exception of the Glasswasher models which will be 90 days labor and one year parts warranty. **Fagor shall bear all labor costs in connection with the installation of these replacement parts, provided that, the installation is conducted by Fagor or its authorized representative. Charges for warranty travel time to round trip total of (2) two hours or up to 100 miles total. Any charges exceeding those stated herein must have prior authorization by Fagor.**

Parts Warranty Coverage: Fagor warrants all new machine parts produced or authorized by Fagor to be free from defects in material and workmanship for a period of 90 days from the Warranty Commencement Date. If any defect in material and workmanship is found to exist within the warranty period, Fagor will replace the defective part without charge. Defective parts become the property of Fagor.

Fagor will have no responsibility to honor claims received after the date the applicable Warranty expires. Notwithstanding the foregoing, any claim with reference to the Equipment or any parts therefore for any cause shall be deemed waived unless submitted by the User to Fagor within thirty (30) days after the date the User discovered, or should have discovered, the claim. In connection with all claims under this Warranty, Fagor will have the right, at its own expense, to have its representatives inspect the Equipment at the User's premises and to request all of User's records pertaining to the Equipment to determine whether a defect exists, whether the conditions set forth in this Warranty have been satisfied, and whether or not the applicable Warranty is in effect.

Exclusions from and Conditions to Warranty Coverage.

This Warranty does not cover parts or accessories, which (a) carry the warranty of a supplier or (b) are, abused incorrect (noncommercial) grade detergents. Application of this Warranty is further conditioned upon the following:

- **Installation:** The Equipment must be properly installed in accordance with Fagor's installation procedures and instructions and reviewed and tested by Fagor's authorized representative
- **No Alteration:** The Equipment must not have been modified or altered from its condition at the date of original installation.
- **Use:** FAGOR EQUIPMENT IS NOT DESIGNED FOR PERSONAL, FAMILY OR HOUSEHOLD PURPOSES, AND ITS SALE FOR SUCH PURPOSES IS NOT INTENDED. IN THE EVENT THE EQUIPMENT IS SO USED, THIS WARRANTY SHALL BE NULL AND VOID, AND THE EQUIPMENT SHALL BE DEEMED TO HAVE BEEN SOLD "AS IS-WHERE IS" WITHOUT ANY WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF TITLE, NON-INFRINGEMENT, MERCHANT-ABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- **Water Quality:** Water supply should have hardness between .25 and 2.0 grains per gallon, pH level between 7.0 – 8.5 and TDS level at 250 PPM. Equipment failure due to inadequate water supply is not covered by this Warranty.
- **Proper Maintenance and Operation:** The Equipment must be properly maintained and operated in accordance with Fagor's maintenance and operating procedures. All service, labor and parts must be acquired from Fagor or its authorized service representative for the User's area.
- **Minor Parts.** No labor will be associated with the replacement of minor items such as, and not limited to, switches, pilot lights, gauges, fuses, etc. or replacement of wear items such as curtains, squeeze tubes, etc.
- This warranty is void if failure is a direct result of handling &/or transportation, fire, water, accident, misuse, acts of god, attempted repair by unauthorized persons, improper installation, if serial number has been removed or altered, or if unit is used for purpose other than it was originally intended.

Failure to comply with any of these conditions will void this Warranty. In addition, this Warranty does not cover defects due to apparent abuse, misuse or accident.

THE FOREGOING WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES NOT EXPRESSLY SET FORTH HEREIN, WHETHER EXPRESS OR IMPLIED BY OPERATION OF LAW OR OTHERWISE, INCLUDING BUT NOT LIMITED TO ANY REPRESENTATION OF PERFORMANCE AND ANY IMPLIED WARRANTIES OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. NO OTHER WARRANTIES ARE AUTHORIZED ON BEHALF OF FAGOR UNLESS SPECIFICALLY ISSUED BY FAGOR.

Fagor shall have no liability for incidental or consequential losses, damages or expenses, loss of sales, profits or goodwill, or punitive or exemplary damages directly or indirectly arising from the sale, handling or use of the Equipment or from any other cause relating thereto, whether arising in contract, tort, warranty, strict liability or otherwise. Fagor's liability hereunder in any case is expressly limited, at Fagor's election, to repair or replacement of Equipment or parts therefore or to the repayment of, or crediting the user with, an amount equal to the purchase price of such goods.



TERMS & CONDITIONS OF SALES



Terms: Standard payment terms a net 30 days. All orders are subject to credit approval. All Invoices not paid within the specified terms will be subject to a 1.5% per month delinquency charge. Buyer agrees to pay all costs of collection including such attorney's fees as may be allowed by law.

Acceptance: All orders are subject to acceptance by Fagor Commercial, Inc.

Prices: All prices are FOB Miami, Florida. Prices and specifications are subject to change without notice.

Taxes: This price list does not include any Federal, State, City or Local taxes, which may apply and are subject thereto.

Shipment: Requested carrier will be used upon request. Fagor has the right to ship via any responsible carrier if requested carrier is unavailable. Shipping charges are payable by consignee and any claims arising as such charges shall be resolved between the carrier and the consignee.

Damaged merchandise: The consignee must make all freight claims for damages in transit with the carrier. Fagor assumes no responsibility for damages while in transit.

Delivery: Shipping or delivery dates are approximates. Fagor is not responsible for any delays in deliveries that are beyond our control, such as fires, weather, and delays in transportation, strikes, or any contingencies of similar characters.

Cancellations & Returns: Cancelled orders and returned merchandise are subject to a 25% restocking and handling charge. Written authorization is required for a return of any equipment. All equipment returned must be in its original factory crate; freight prepaid and must be in the same condition as originally shipped by Fagor.

FAGOR



together we evolve

Fagor Commercial, Inc

13105 NW 47th Avenue
Miami, FL 33054
USA

Ph: (305) 779-0170
Fax: (305) 779-0173

info@fagorcommercial.com
www.fagorcommercial.com



MONDRAGON
HUMANITY AT WORK