



REFRIGERATION PRICE LIST

May 1st 2010



Together we evolve



www.fagorcommercial.com

Evolution

**From 1960 till today.
A history marked by belief in talent and perseverance.**

Fagor Industrial is currently a reference brand thanks to its range of solutions focused on professional needs.

Fagor Industrial was established in 1960, selling industrial enameled cooktops for the hotel and the restaurant sector. Soon, the company began manufacturing its own products, expanding its product range to include commercial dishwashing, refrigeration and laundry equipment.

For years, Fagor Industrial has continued to expand its range of products and services, developing a wide range of cooktops, ovens, refrigeration and buffet units. All while perfecting its range of laundry products to include ironers, dryers and a wide range of products for laundry finishing.

The San Luis Potosi plant in Mexico was inaugurated in 2006; this manufacturing facility is dedicated to producing commercial refrigeration equipment for The America's dedicated with North American specifications. Recently Fagor has NEW plant openings in Poland, Turkey and China; we are committed and continue to dedicate more resources to this product line.

Fagor Industrial is a part of Mondragon, the most prominent corporate group in the Basque Country and the seventh largest company in Spain.

It includes more than 330 companies and organizations divided into three areas: Financial, Industrial and Distribution. Currently, employs more than 93,000 people and has more than 70 companies outside of the country of Spain.



Together we evolve

At Fagor Industrial we believe that joint effort leads to the best solutions. We are focused on giving the best of ourselves to achieve success, together.

Together, always within your reach, to listen and work proactively. Working as a team with a spirit; is the essence of the company. We reach employees, clients, distributors and professionals alike. Fagor industrial is the sum of the people who make the company successful. We are the ones that make Fagor a prestigious company around the world.

People who strive to improve day by day. Talented and dedicated people who are firmly focused on going one step further. We live in a world in motion, we are required to evolve, innovate; search for the best and most efficient solutions. We strive for the best, for excellence and to create value.

At Fagor Industrial, this spirit of evolution has allowed us to become what we are today. We are convinced that this is the road to achievement, to continue learning and be motivated, to grow and help others grow.

Pre-Sales

Manufacturing centers in America, Europe and Asia, 30 company owned offices, professionals specializing in pre-sales advising simulation software. A world of possibilities focused on helping you make the right decision.

Sales

We want to stay close to customers, helping them make the right decision. That is why we are completely involved in the personalization of each project, including preliminary studies carried out together with the distributor and the final customer, for both our own products.



Post-Sales

A customer is a customer before and after the purchase, that is why Fagor Industrial is committed to post-sales service: intuitive programs like Fagor Technic for sales offices, subsidiaries, distributors and technicians, official SAT approved worldwide, 10 year manufacturer's guarantee for replacement and parts, and much more.

Training R+D+I

Constant investment in R+D+I to develop new and improved solutions that meets the needs of our customers. Clear commitment to internal and external training as the means to improving products and services. Always focused on the objective of obtaining recognition as a world-class company certified in quality and management processes.

Spain - Oñati - **Corporate Headquarters**



AMERICA

USA Miami-Headquarters
Dallas
Los Angeles

Mexico Mexico D.F.
Guadalajara
Cancun
San Luis Potosi

Dominican Santo Domingo

Chile Santiago

Colombia Medellin
Bogota
Barranquilla

AUSTRALIA

Australia Sidney

ASIA

China **Shanghai**
Beijing

Taiwan Taipei

Emirates Dubai



● **Factories** ● **Regional Offices**



Spain - Cordoba



China - Shanghai

Refrigeration Factory for The America's



Mexico - San Luis Potosi

Turkey - Istanbul



EUROPE

Spain

Oñati
Cordoba
Madrid
Barcelona
Valencia
Bilbao
Vigo
Sevilla
Las Palmas
Tenerife
Palma Mallorca

Portugal

Lisboa

France

Lamotte Beuvron

Italy

Samarate
Ascoli

United Kingdom Edembridge

Deutschland Ulm

Poland Warszawa
Czosnov

Czech Republic Praha

Turkey **Istambul**

AFRICA

Moroco

Casablanca

Poland - Czosnov



France - Lamotte Beuvron



Italy - Ascoli

Specifications

- New enhanced digital controller and display with built in Energy Savings feature during off peak hours. Door alarm and user friendly controls to adapt to different environments.
- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators & R-404A Freezers.
- Refrigerators maintain product temperatures from 33° to 38°F / freezers: -10°F (QF-1), -8°F (QF-2), includes automatic defrost.
- All stainless steel interior and exterior construction for a cleaner & safer food environment. Stainless steel coved corner floor to meet NSF requirements.
- Full length recessed door handles.
- Channel shelving system which gives you the flexibility for shelves and 18" x 26" bun pans:
 - Optional: Universal pan rails able to accommodate (1) 18" x 26" bun tray, (2) 18" x 13" half bun trays or 12" x 20" food service pans (trays sold separately).
- Incandescent light in the interior of the cabinet for greater visibility.
- Standard with 3 epoxy coated shelves per door.
- Glass doors units are dual pane with aluminum frames.
- 22 gauge stainless steel door; interior step design for added insulation and protection of door gaskets.
- 4" castors and door locks standard.



QR(F)-1 Shown



QR(F)-2 Shown




QR-2G Shown

Model	Doors	Shlvs.	HP	Volts	Amps.	Capacity (Cu.Ft.)	Crated Weight	Cabinet Dimensions			List Price
								L	D	H*	
REFRIGERATOR											
QR-1	1	3	1/3	115	4.7	24.5	295	27-3/4"	31"	78-7/8"	\$ 3,683
QR-2	2	6	1/2	115	6.9	52	475	55-1/4"	31"	78-7/8"	\$ 5,453
REFRIGERATOR - GLASS DOOR											
QR-1G	1	3	1/3	115	4.7	24.5	315	27-3/4"	31"	78-7/8"	\$ 4,431
QR-2G	2	6	1/2	115	6.9	52	505	55-1/4"	31"	78-7/8"	\$ 6,484
FREEZER											
QF-1	1	3	1/2	115	8.0	24.5	295	27-3/4"	31"	78-7/8"	\$ 4,775
QF-2	2	6	1	115	11.2	52	475	55-1/4"	31"	78-7/8"	\$ 6,853
FREEZER - GLASS DOOR											
QF-1G	1	3	1/2	115	8.0	24.5	315	27-3/4"	31"	78-7/8"	\$6,600

* Height does not include 4" castors (5" overall) or 6" for legs.



**Optional:
Universal Pan Rails**



QV SERIES REACH-IN'S

NEW DEEPER DESIGN



Specifications

- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators & R-404A Freezers.
- Refrigerators maintain product temperatures from 33° to 38°F / freezers: -10°F (QVF-1), -8°F (QVF-2), includes automatic defrost.
- Stainless steel interior and exterior construction for a cleaner & safer food environment. Stainless steel coved corner floor to meet NSF requirements.
- Digital controller refrigerators and freezers to keep food quality for longer period of time.
- Standard with 3 epoxy coated shelves per door.
- Heavy duty stainless steel door with high impact ABS plastic interior door; step design for added insulation and protection of door gasket.
- Fluorescent light in the interior of the cabinet for greater visibility.
- Recessed door handles.
- **Accepts 18" x 26" bun pans.**
- Glass doors units are dual pane with aluminum frames.
- 4" castors and door locks standard.



QVR(F)-1 Shown



QVR(F)-2 Shown



QVR-2G Shown

Model	Doors	Shlvs.	HP	Volts	Amps.	Capacity (Cu.Ft.)	Crated Weight	Cabinet Dimensions			List Price
								L	D	H*	
REFRIGERATOR											
QVR-1	1	3	1/3	115	4.7	23	280	27-3/4"	31"	75-3/4"	\$ 3,162
QVR-2	2	6	1/2	115	6.9	49	445	55-1/4"	31"	75-3/4"	\$ 4,635
REFRIGERATOR - GLASS DOOR											
QVR-1G	1	3	1/3	115	4.7	23	300	27-3/4"	31"	75-3/4"	\$ 3,662
QVR-2G	2	6	1/2	115	6.9	49	475	55-1/4"	31"	75-3/4"	\$ 5,701
FREEZER											
QVF-1	1	3	1/2	115	8.0	23	280	27-3/4"	31"	75-3/4"	\$ 4,020
QVF-2	2	6	1	115	11.2	49	445	55-1/4"	31"	75-3/4"	\$ 5,838
FREEZER - GLASS DOOR											
QVF-1G	1	3	1/2	115	8.0	23	305	27-3/4"	31"	75-3/4"	\$ 5,940

* Height does not include 4" castors (5" overall) or 6" for legs.



**Optional:
Bun Tray Rack**



www.fagorcommercial.com
1-866-GO-FAGOR



All specifications are subject to change without notice.

Specifications

- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators & R-404A Freezers.
- Refrigerators maintain product temperatures from 33° to 38°F / freezers: -8°F, includes automatic defrost.
- Analog controller on Refrigerators / Digital controls on freezer to be able to handle more extreme environments.
- Front breathing refrigeration system for built-in applications.
- **All stainless steel interior and exterior construction for a cleaner & safer food environment. Coved corner floor to meet NSF requirements.**
- Heavy duty stainless steel door with high impact ABS plastic interior door; step design for added insulation and protection of door gaskets.
- Durable stainless steel hinges.
- Recessed door handles.
- Self closing door with 120° stay open feature for convenient loading and unloading of product.
- 36" high working height / 2-1/2" casters (opt.) for 34" high applications.
- CFC-Free polyurethane insulation, foamed in place for added strength and energy efficiency.
- Standard with 4" castors, front two with brakes.
- Self-contained system, no plumbing necessary.
- Easily removable door gaskets - No tools!
- Adjustable heavy duty epoxy coated wire shelves.



FUR(F)-27 Shown



FUR(F)-60 Shown




FUR-72 Shown

Model	Doors	Shlvs.	HP	Amps.	Capacity (Cu.Ft.)	Crated Weight	Cabinet Dimensions			List Price
							L	D	H*	
REFRIGERATOR										
FUR-27	1	2	1/3	4.5	6.1	204	27"	30"	31"	\$ 2,200
FUR-48	2	4	1/3	4.6	11.8	289	48"	30"	31"	\$ 3,115
FUR-60	2	4	1/2	6.5	15.0	343	60"	30"	31"	\$ 3,500
FUR-72	3	6	1/2	7.2	18.2	413	72"	30"	31"	\$ 3,980
FREEZER										
FUF-27	1	2	1/2	5.8	6.1	204	27"	30"	31"	\$ 2,600
FUF-48	2	4	1/2	6.8	11.8	289	48"	30"	31"	\$ 3,600
FUF-60	2	4	1/2	7.9	15.0	343	60"	30"	31"	\$ 4,700

* Height does not include 4" castors (5" overall) or 6" for legs.



4" Removable Back Splash



Specifications

- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators & R-404A Freezers.
- Refrigerators maintain product temperatures from 33° to 38°F / freezers: -8°F, includes automatic defrost.
- Analog controller on Refrigerators / Digital controls on freezer to be able to handle more extreme environments.
- Front breathing refrigeration system for built-in applications.
- **All stainless steel interior and exterior construction for a cleaner & safer food environment. Coved corner floor to meet NSF requirements.**
- Heavy duty stainless steel door with high impact ABS plastic interior door; step design for added insulation and protection of door gaskets.
- Durable stainless steel hinges.
- Recessed door handles.
- Self closing door with 120° stay open feature for convenient loading and unloading of product.
- 36" high working height with fixed 4" back splash!
- CFC-Free polyurethane insulation, foamed in place for added strength and energy efficiency.
- Standard with 4" castors, front two with brakes.
- Self-contained system, no plumbing necessary.
- Easily removable door gaskets - No tools!
- Adjustable heavy duty epoxy coated wire shelves.



FWR(F)-27 Shown



FWR(F)-60 Shown




FWR-72 Shown

Model	Doors	Shlvs.	HP	Amps.	Capacity (Cu.Ft.)	Shipping Wt.	Cabinet Dimensions			List Price
							L	D	H*	
REFRIGERATOR										
FWR-27	1	2	1/3	4.5	6.1	204	27"	30"	35"	\$ 2,415
FWR-48	2	4	1/3	4.6	11.8	289	48"	30"	35"	\$ 3,408
FWR-60	2	4	1/2	6.5	15.0	343	60"	30"	35"	\$ 3,843
FWR-72	3	6	1/2	7.2	18.2	413	72"	30"	35"	\$ 4,380
FREEZER										
FWF-27	1	2	1/2	5.8	6.1	204	27"	30"	35"	\$ 2,703
FWF-48	2	4	1/2	6.8	11.8	289	48"	30"	35"	\$ 3,918
FWF-60	2	4	1/2	7.9	15.0	343	60"	30"	35"	\$ 5,108

* Height does not include 4" castors (5" overall) or 6" for legs.



2.5" Castors



Specifications

- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators.
- Front breathing refrigeration system for built-in applications.
- All stainless steel interior and exterior construction for a cleaner & safer food environment. Coved corner floor to meet NSF requirements.
- Heavy duty stainless steel door with high impact ABS plastic interior door; step design for added insulation and protection of door gasket.
- Durable stainless steel hinges.
- Adjustable heavy duty epoxy coated wire shelves.
- Self-contained system, no plumbing necessary.
- Self closing door with 120° stay open feature for convenient loading and unloading of product.
- Channel shelving system which gives you the flexibility for shelves and 12" x 20" foodservice pans (pans sold separately).
 - Optional: Universal pan rails able to accommodate
 - (1) 18" x 26" bun tray or
 - (2) 18" x 13" half bun trays (trays sold separately).
- "SUR" has a 36" high working height / 2-1/2" castors (opt.) for 34" high applications.
- "SWR" has a 4" stainless steel fixed back splash.
- Recessed door handles.
- CFC-Free polyurethane insulation, foamed in place for added strength and energy efficiency.
- Standard with 5" castors, front two with brakes.
- Easily removable door gasket - No tools!



SUR-46 Shown




SWR-67 Shown

Model	Doors	Shlvs.	HP	Amps.	Capacity (Cu.Ft.)	Crated Weight	Cabinet Dimensions			List Price
							L	D	H	
UNDERCOUNTERS										
SUR-46	1	2	1/3	5.2	43	318	46"	32"	30"	\$ 3,785
SUR-67	2	4	1/2	7.2	62	490	67-1/4"	32"	30"	\$ 4,759
WORKTOPS										
SWR-46	1	2	1/3	5.2	43	318	46"	32"	34"	\$ 4,039
SWR-67	2	4	1/2	7.2	62	490	67-1/4"	32"	34"	\$ 5,095

* Height does not include 5" castors (6" overall) or 6" for legs.



Optional:
Universal Pan Rails



PIZZA PREP TABLES



Specifications

- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators.
- Front breathing refrigeration system for built-in applications.
- All stainless steel interior and exterior construction for a cleaner & safer food environment. Coved corner floor to meet NSF requirements.
- Heavy duty stainless steel door with high impact ABS plastic interior door; step design for added insulation and protection of door gasket.
- **Insulated lid keeps pan temperature colder and minimize condensation. Removable for easy cleaning.**
- Forced air underneath pans to keep products fresher and maintain products at 33°- 41°F temperature in food pans and cabinet interior.
- Channel shelving system which gives you the flexibility for shelves and 12"x20" foodservice pans (pans sold separately).
 - Optional: Universal pan rails able to accommodate
 - (1) 18" x 26" bun tray or
 - (2) 18" x 13" half bun-trays (trays sold separately).
- Complies with NSF7 standards for food product safety.
- 19" full length removable and reversible white polyethylene cutting board.
- Standard with full sets of 1/3rd size pans, clear polycarbonate, 4" deep / will accommodate 6" deep inserts.
- CFC-Free polyurethane insulation, foamed in place for added strength and energy efficiency.



FPT-46 Shown




FPT-67 Shown

Model	Doors	Shlvs.	HP	Amps.	Capacity (Cu.Ft)	Crated Weight	Cabinet Dimensions			List Price
							L	D	H	
PIZZA TABLES										
FPT-46	1	2	1/3	5.2	63	318	46"	32"	39-1/8"	\$ 4,774
FPT-67	2	4	1/2	7.2	72.8	490	67-1/4"	32"	39-1/8"	\$ 6,150
FPT-93										Coming Soon

* Height does not include 5" castors (6" overall) or 6" for legs..



19" Reversible Cutting Board



Specifications

- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators.
- Front breathing refrigeration system for built-in applications.
- All stainless steel interior and exterior construction for a cleaner & safer food environment. Stainless steel covered corner floor to meet NSF requirements.
- Heavy duty stainless steel door with high impact ABS plastic interior door; step design for added insulation and protection of door gasket.
- **Insulated hood and lid keeps pan temperature colder and minimize condensation. Removable for easy cleaning.**
- Designed for forced air underneath pans to keep products fresher and maintain products at 33° - 41°F temperature in food pans and cabinet interior.
- Complies with NSF7 standards for food product safety.
- Durable stainless steel hinges.
- Recessed door handles.
- Self closing door with 120° stay open feature for convenient loading and unloading of product.
- 10" full length removable and reversible cutting board.
- Standard with full sets of 1/6 size pans, clear polycarbonate, 4" deep / will accommodate 6" deep pans.
- CFC-Free polyurethane insulation, foamed in place for added strength and energy efficiency.
- Standard with 4" castors, front two with brakes.
- Self-contained system, no plumbing necessary.
- Easily removable door gasket - No tools!
- Adjustable heavy duty epoxy coated wire shelves.



FST-27-8 Shown



FST-48-8 Shown




FST-72-18 Shown

Model	Doors	Shlvs.	Pans	HP	Volts	Amps.	Crated Weight	Cabinet Dimensions			List Price
								L	D	H*	
SALAD PREP TABLES											
FST-27-8	1	1	8	1/3	115	4.5	214	27"	30"	37-7/8"	\$ 2,450
FST-48-8	2	2	8	1/3	115	4.6	305	48"	30"	37-7/8"	\$ 3,495
FST-48-12	2	2	12	1/3	115	4.6	305	48"	30"	37-7/8"	\$ 3,525
FST-60-8	2	2	8	1/2	115	6.5	370	60"	30"	37-7/8"	\$ 3,995
FST-60-16	2	2	16	1/2	115	6.5	370	60"	30"	37-7/8"	\$ 4,025
FST-72-12	3	3	12	1/2	115	7.2	455	72"	30"	37-7/8"	\$ 4,598
FST-72-18	3	3	18	1/2	115	7.2	455	72"	30"	37-7/8"	\$ 4,635

* Height does not include 4" castors (5" overall) or 6" for legs.



**Insulated Lid
Top & Back of Hood**



MEGA TOP PREP TABLES



Specifications

- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators.
- Front breathing refrigeration system for built-in applications.
- All stainless steel interior and exterior construction for a cleaner & safer food environment. Coved corner floor to meet NSF requirements.
- Heavy duty stainless steel door with high impact ABS plastic interior door; step design for added insulation and protection of door gasket.
- **Insulated hood and lid keeps pan temperature colder and minimize condensation. Removable for easy cleaning.**
- Designed for forced air underneath pans to keep products fresher and maintain products at 33° - 41°F temperature in food pans and cabinet interior.
- Complies with NSF7 standards for food product safety.
- Durable stainless steel hinges.
- Recessed door handles.
- Self closing door with 120° stay open feature for convenient loading and unloading of product.
- 10" full length removable and reversible cutting board.
- Standard with full sets of 1/6 size pans, clear polycarbonate, 4" deep / will accommodate 6" deep pans.
- CFC-Free polyurethane insulation, foamed in place for added strength and energy efficiency.
- Easily removable door gasket - No tools!
- Standard with 4" castors, front two with brakes.
- Self Contained system, no plumbing necessary.
- Adjustable heavy duty epoxy coated wire shelves.



FMT-27-12 Shown



FMT-48-18 Shown




FMT-72-30 Shown

Model	Doors	Shlvs.	Pans	HP	Volts	Amps.	Crated Weight	Cabinet Dimensions			List Price
								L	D	H*	
MEGA TOP PREP TABLES											
FMT-27-12	1	1	12	1/3	115	5.1	225	27"	30"	45-3/4"	\$ 2,800
FMT-48-18	2	2	18	1/3	115	6.0	327	48"	30"	45-3/4"	\$ 3,975
FMT-60-24	2	2	24	1/2	115	7.3	380	60"	30"	45-3/4"	\$ 4,415
FMT-72-30	3	3	30	1/2	115	8.0	465	72"	30"	45-3/4"	\$ 5,298

* Height does not include 4" castors (5" overall) or 6" for legs.



Air Flow Beneath Food Pans



www.fagorcommercial.com
1-866-GO-FAGOR



Specifications

- Refrigeration system is a free flowing air flow throughout the box to ensure "ICE COLD" products at all times.
- Heavy duty 18 gauge stainless steel top.
- 3" diameter polished stainless steel draft tower.
- **More taps per tower than most competitive brands standard.**
- 59" & 69" units comes standard with (1) three way gas valve, 79" & 95" units comes standard with (1) 4 way gas valve.
- Stylish wear resistant black steel finish front, sides and back / (S) Stainless models with stainless steel front, sides and back.

- **Durable stainless steel floor with an added removable dunnage style protective floor, made of heavy duty polymer for added protection against abuse and ware.**
- Reinforced door frame.
- Units come with compressor mounted on the left side and with service friendly rail system.
- Slide out condenser unit for serviceability. (excluding, FDD-24)
- Analog thermostat.
- Fluorescent interior light (except FDD-24).
- FDD-24(S) single keg units are rear breathing with internal drain, internal CO2 spring harness and with knockout place for external CO2 placement, standard with castors.



FDD-24 Shown



FDD-59S Shown




FDD-95 Shown with
Optional: BBGD glass door
DDRR rail kit

Model	Doors	Tower	Taps	Kegs	HP	Amps.	Crated Weight	Cabinet Dimensions			List Price
								L	D	H	
DIRECT DRAW BEER DISPENSERS - BLACK											
FDD-24	1	1	1	1	1/6	2.7	165	23-3/4"	30-1/2"	40-1/8"	\$ 2,436
FDD-59	2	2	3	3	1/3	6.5	343	59-1/2"	28"	37"	\$ 4,093
FDD-69	2	2	3	3	1/3	6.5	370	69-1/2"	28"	37"	\$ 4,334
FDD-79	2	2	4	4	1/3	6.7	396	80"	28"	37"	\$ 4,930
FDD-95	3	2	4	5	1/3	6.7	429	95-1/2"	28"	37"	\$ 5,209
DIRECT DRAW BEER DISPENSERS - STAINLESS STEEL											
FDD-24S	1	1	1	1	1/6	2.7	165	23-3/4"	30-1/2"	40-1/8"	\$ 3,025
FDD-59S	2	2	3	3	1/3	6.5	343	59-1/2"	28"	37"	\$ 4,449
FDD-69S	2	2	3	3	1/3	6.5	370	69-1/2"	28"	37"	\$ 4,781
FDD-79S	2	2	4	4	1/3	6.7	396	80"	28"	37"	\$ 5,884
FDD-95S	3	2	4	5	1/3	6.7	429	95-1/2"	28"	37"	\$ 6,157



More Taps per Box



SLIDE TOP COOLERS

NEW



Specifications

- Refrigeration system is a free flowing air system throughout the box to ensure "ICE COLD" products at all times.
- Stylish wear resistant black steel finish front and sides.
- Heavy duty 18 gauges stainless steel top.
- Rugged epoxy coated bottle dividers.
- "S" models with stainless steel front, sides and back.
- **Fluorescent interior light.**
- **Unit comes standard with locks.**
- Interior with resistant heavy duty galvanized steel.
- Heavy duty stainless steel lids.
- Units come with compressor mounted on the right side with service friendly rail system.
- Slide out condenser unit for serviceability.
- Analog thermostat.
- Removable bottle opener and cap catcher.



FBC-50 Shown



FBC-69S Shown



FBC-95 Shown

Model	Lids	12 oz. Cans	12 Oz. Btls.	HP	Amps	Crated Weight	Cabinet Dimensions			List Price
							L	D	H	
<i>BOTTLE COOLERS - BLACK</i>										
FBC-50	2	624	454	1/3	6.0	260	50-1/2"	26-1/2"	33-3/8"	\$ 2,700
FBC-69	2	854	696	1/3	6.0	310	69-1/2"	26-1/2"	33-3/8"	\$ 3,120
FBC-95	3	1368	1008	1/2	6.5	508	95-1/2"	26-1/2"	33-3/8"	\$ 4,121
<i>BOTTLE COOLERS - STAINLESS STEEL</i>										
FBC-50S	2	624	454	1/3	6.0	260	50-1/2"	26-1/2"	33-3/8"	\$ 3,100
FBC-69S	2	854	696	1/3	6.0	310	69-1/2"	26-1/2"	33-3/8"	\$ 3,540
FBC-95S	3	1368	1008	1/2	6.5	508	95-1/2"	26-1/2"	33-3/8"	\$ 4,650



Lights & Locks Standard



www.fagorcommercial.com
1-866-GO-FAGOR



Specifications

- Refrigeration system is a free flowing air system throughout the box to ensure "ICE COLD" products at all times.
- Heavy duty 18 gauges stainless steel top.
- Stylish wear resistant black steel finish front, sides and back.
- **Field interchangeable doors from Solid to Glass or Glass to Solid to adapt to ever changing needs.**
- "G" models have dual pane glass doors with black aluminum frame.
- Internal capacity to be able to merchandise 3 tall boy beers high.
- **Bottle rail shelves standard.** Unit comes with one door with two flat shelves and balance of doors with two bottle rails per door.
- Durable stainless steel coved corner floor. Unit meets NSF-7 standards.
- Units come with compressor mounted on the left side and with service friendly rail system.
- Slide out condenser unit for serviceability.
- Analog thermostat.
- Fluorescent interior light per door underneath the mullion for added protection.



FBB-24 Shown



FBB-69 Shown



FBB-95G Shown with
Optional: BBD black door

Model	Doors	Shelvs	Kegs	12 oz. Cans	HP	Amps.	Crated Weight	Cabinet Dimensions			List Price
								L	D	H	
BACK BAR REFRIGERATION											
FBB-24	1	2	1	415	1/6	2.7	165	23-3/4"	30-1/2"	40-1/8"	\$ 2,205
FBB-59	2	4	3	852	1/3	6.5	343	59-1/2"	28"	37"	\$ 3,649
FBB-69	2	4	3	1014	1/3	6.5	370	69-1/2"	28"	37"	\$ 3,988
FBB-79	3	6	4	1092	1/3	6.7	396	80"	28"	37"	\$ 4,267
FBB-95	3	6	5	1302	1/3	6.7	429	95-1/2"	28"	37"	\$ 4,432
BACK BAR REFRIGERATION - GLASS DOOR											
FBB-24G	1	2	1	415	1/6	2.7	165	23-3/4"	30-1/2"	40-1/8"	\$ 2,741
FBB-59G	2	4	3	852	1/3	6.5	343	59-1/2"	28"	37"	\$ 3,949
FBB-69G	2	4	3	1014	1/3	6.5	370	69-1/2"	28"	37"	\$ 4,185
FBB-79G	3	6	4	1092	1/3	6.7	396	80"	28"	37"	\$ 4,767
FBB-95G	3	6	5	1302	1/3	6.7	429	95-1/2"	28"	37"	\$ 5,144




**Fixed Bottle Rails
Standard**

-16-

All specifications are subject to change without notice.



www.fagorcommercial.com
1-866-GO-FAGOR



BACK BAR - STAINLESS FINISH



Specifications

- Refrigeration system is a free flowing air system throughout the box to ensure "ICE COLD" products at all times.
- Heavy duty 18 gauges stainless steel top.
- Stainless steel finish front, sides and back.
- **Field interchangeable doors from Solid to Glass or Glass to Solid to adapt to ever changing needs.**
- "G" models have dual pane glass doors with aluminum frame.
- Fluorescent interior light per door underneath the mullion for added protection.
- **Bottle rail shelves standard.** Unit comes standard with one door with two flat shelves and balance of doors with two bottle rails per door.
- Durable stainless steel coved corner floor. Unit meets NSF-7 standards.
- Units come with compressor mounted on the left side and with service friendly rail system.
- Slide out condenser unit for serviceability.
- Analog thermostat.
- Internal capacity to be able to merchandise 3 tall boy beers high.



FBB-24GS Shown




FBB-59GS Shown



FBB-95S Shown


Model	Doors	Shelvs	Kegs	12 oz. Cans	HP	Amps.	Crated Weight	Cabinet Dimensions			List Price
								L	D	H	
BACK BAR REFRIGERATION											
FBB-24S	1	2	1	415	1/6	2.7	165	23-3/4"	30-1/2"	40-1/8"	\$ 2,610
FBB-59S	2	4	3	852	1/3	6.5	343	59-1/2"	28"	37"	\$ 4,421
FBB-69S	2	4	3	1014	1/3	6.5	370	69-1/2"	28"	37"	\$ 4,704
FBB-79S	3	6	4	1092	1/3	6.7	396	80"	28"	37"	\$ 5,203
FBB-95S	3	6	5	1302	1/3	6.7	429	95-1/2"	28"	37"	\$ 5,594
BACK BAR REFRIGERATION - GLASS DOOR											
FBB-24SG	1	2	1	415	1/6	2.7	165	23-3/4"	30-1/2"	40-1/8"	\$ 2,909
FBB-59SG	2	4	3	852	1/3	6.5	343	59-1/2"	28"	37"	\$ 5,019
FBB-69SG	2	4	3	1014	1/3	6.5	370	69-1/2"	28"	37"	\$ 5,170
FBB-79SG	3	6	4	1092	1/3	6.7	396	80"	28"	37"	\$ 5,657
FBB-95SG	3	6	5	1302	1/3	6.7	429	95-1/2"	28"	37"	\$ 6,562



**Free Flowing Air
Throughout the Cabinet**



www.fagorcommercial.com
1-866-GO-FAGOR



Specifications

- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators.
- Stainless steel construction with anodized aluminum side panel.
- Front curved glass design.
- Service side glass sliding door.
- Fluorescent light - Standard.
- Comes standard with 1/3rd gastronorm pans - 1.5" deep.
- Compressor mount on right side.
- Cold plate design underneath the pans to keep products fresher and maintain products at 36° - 46°F temperature in food pans.




VTP-139 Shown



VTP-175 Shown

Model	Pans	Volts	Amps.	HP	Crated Weight	Cabinet Dimensions			List Price
						L	D	H	
TAPAS CASES									
VTP-139	6	115	4.2	1/5	112	54-7/8"	15-3/4"	9-7/8"	\$ 2,582
VTP-175	8	115	4.2	1/5	135	68-7/8"	15-3/4"	9-7/8"	\$ 2,949



COMING SOON

Specifications

- Factory balanced refrigeration system, environmentally friendly R-134A Refrigerators.
- Stainless steel construction with anodized aluminum side panel.
- Front curved glass design.
- Service side glass sliding door.
- Fluorescent light - Standard.
- Compressor mount on right side.
- Service side glass sliding door.



VTP-139SL Shown



VTP-175SL Shown

STAINLESS STEEL - CUSTOM



Fagor has the unique ability to provide quality Custom Stainless Steel Fabrication as well as providing a full line of Refrigeration and Dishwashing. Whatever your project requires, Fagor's Custom Fabrication Division is capable of producing it.

Whether you need to make a change or an improvement to an existing product or if you need help transforming your ideas into reality, all of your metal projects will receive our solution-oriented approach.

All of our Custom Fabrication is manufactured to your specifications, always paying attention to detail, quality and with full consideration to meet your required delivery date.

Our expertise includes the ability to produce a full line of custom tables. Offering you choice of construction, including 14 gauge series 304 stainless steel or 16 gauge series 304 stainless steel. Our custom stainless steel table capabilities are only limited to your imagination. Just provide us with your specification or drawing and allow Fagor to produce your custom piece.

Does your project call for stainless steel sinks? Fagor custom stainless facility produces high quality heavy duty 16 Gauge Series Stainless Steel all full seam TIG welded sinks. Our offering includes Single, Double and Triple tub sinks with a large variety of accessories and custom options. Fagor's custom stainless steel sinks are available in both wall mounted and free standing designs.

Our Custom Stainless Steel production has included all facets of the Food Service Industry. Providing custom Work Tables, Taco Rail Systems, Waitress Stations, Cashiers Stands, Cafeteria Islands, Drawer Base, Dish Tables, Cup & Glass Racks, Sneeze Guard Systems, Chef Center Islands, Over-Shelves, Drawer Base and many other Custom configurations.

Ask your Fagor representative for a quotation for our custom products.





Castors & Legs		
Description	Item	List Price
2.5" Stem Castors - set of 4	CAS-2.5	\$175
2.5" Stem - Castors set of 6 - for 79" & 95"	CAS-2.56	\$263
3" Stem Castors - set of 4	CAS-3	\$225
3" Stem - Castors set of 6 - for 79" & 95"	CAS-36	\$338
4" Stem castors - set of 4	CAS-4	\$250
4" Stem Castors set of 6 - for 79" & 95"	CAS-46	\$375
5" Stem Castors - set of 4	CAS-5	\$250
5" Stem Castors set of 6 - for 79" & 95"	CAS-56	\$375
Legs - 6" - set of 4	LEG-6	\$225
Legs - 6" - set of 6 - for 79" & 95"	LEG-66	\$338



Shelves		
Description	Item	List Price
Q Series / FPT / SU(W) - Epoxy w/ supports	ECS-QFS	\$65
Q Series - Center Shelf - S/S with clips	SS-CD	\$35
QV Series - Epoxy with clips	ECS-QV	\$65
FU(W) / FST / FMT Tables - 27" - Epoxy w/ clips	ECS-FT-27	\$65
FU(W) / FST / FMT Tables- 48"/ 72" - Epoxy w/ clips	ECS-FT-48	\$65
FU(W) / FST / FMT Tables - 60" - Epoxy w/ clips	ECS-FT-60	\$65



Slides & Supports		
Description	Item	List Price
Universal Pan Rails - Q / FPT Series only - Pair	UPR	\$145
Shelf Support - Q / FPT Series only - Pair	SSQ	\$38



Bun Tray rack - Reach-In's		
Description	Item	List Price
Half Door - 5 slots - 4" spacing	BTRHD	\$350
Full Door - 11 slots - 4" spacing	BTRFD	\$500

Others		
Description	Item	List Price
Reverse factory Hinging	RFH	N/C
220 volts / 50 cycles / 1 phase	Export Voltage	\$250

ACCESSORIES



*S/S Back Panel			*16 gauge S/S Top		Night Cover		*S/S Back Bottom Grid	
Description	Item	List Price	Item	List Price	Item	List Price	Item	List Price
FU(W)/ FST / FMT 27"	SSBP-27	\$300	16SST-27	\$550	NC-27	\$250	BG-27	\$75
FU(W)/ FST / FMT 48"	SSBP-48	\$450	16SST-48	\$635	NC-48	\$275	BG-48	\$100
FU(W)/ FST / FMT 60"	SSBP-60	\$600	16SST-60	\$725	NC-60	\$300	BG-60	\$120
FU(W)/ FST / FMT 72"	SSBP-72	\$800	16SST-72	\$850	NC-72	\$325	BG-72	\$150
FPT/ SU(W) 46"	SSBP-46	\$350	16SST-46	\$635				
FPT/ SU(W) 67"	SSBP-67	\$700	16SST-67	\$725				
QR(F)-1	SSBP-S	\$450						
QR(F)-2	SSBP-D	\$900						
QVR(F)-1	SSBPV-S	\$450						
QVR(F)-2	SSBPV-D	\$900						

* Factory only option.




Night Cover




S/S Back Bottom Grid

OverShelves				
Description	Item	List Price	Item	List Price
	Single	Single	Double	Double
FU(W) 27"	SOS-27	\$275	DOS-27	\$550
FU(W)/ FST / FMT 48"	SOS-48	\$375	DOS-48	\$750
FU(W)/ FMT 60"	SOS-60	\$725	DOS-60	\$1450
FU(W)/ FST / FMT 72"	SOS-72	\$835	DOS-72	\$1670



Double Overshelves

Sneeze Guard			Crumb Catcher	
Description	Item	List Price	Item	List Price
FU(W)/ FST / FMT 27"	SZG-27	\$575	CC-27	\$325
FU(W)/ FST / FMT 48"	SZG-48	\$750	CC-48	\$350
FU(W)/ FST / FMT 60"	SZG-60	\$950	CC-60	\$400
FU(W)/ FST / FMT 72"	SZG-72	\$1250	CC-72	\$475




Sneeze Guard

Removable Back Splash		
Description	Item	List Price
FUR(F) 27"	RBS-27	\$100
FUR(F) 48"	RBS-48	\$130
FUR(F) 60"	RBS-60	\$160
FUR(F) 72"	RBS-72	\$190



Removable Back Splash



Crumb Catcher





Flat Shelf




Bottle Rail

Back Bar Shelves

Description	Item	List Price
Flat Shelf - 59" unit w/ clips	BSF-59	\$75
Bottle Rail - 59" unit w/ clips	BSR-59	\$85
Flat Shelf - 69" unit w/ clips	BSF-69	\$75
Bottle Rail - 69" unit w/ clips	BSR-69	\$85
Flat Shelf - 79" unit - Left Door w/ clips	BSF-79L	\$75
Bottle Rail - 79" unit - Left Door w/ clips	BSR-79L	\$85
Flat Shelf - 79" unit - Center Door w/ clips	BSF-79C	\$75
Bottle Rail - 79" unit - Center Door w/ clips	BSR-79C	\$85
Flat Shelf - 79" unit - Right Door w/ clips	BSF-79R	\$75
Bottle Rail - 79" unit - Right Door w/ clips	BSR-79R	\$85
Flat Shelf - 95" unit - All Doors w/ clips	BSF-95	\$75
Bottle Rail - 95" unit - Left & Right Door w/ clips	BSR-95	\$85
Bottle Rail - 95" unit - Center Door w/ clips	BSR-95C	\$85

FBC Bottle Cooler Dividers

Description	Item	List Price
Dividers Left & Right (Except 95" left)	BCD	\$60
Dividers Center	BCD-C	\$60
Divider left Side (95" unit only)	BCD-95L	\$60



Flat Shelf Kit

Direct Draw Shelves

Description	Item	List Price
(2) Flat Shelf - 59" unit - Kit	DDFR-59	\$200
(2) Bottle Rail - 59" unit - Kit	DDBR-59	\$200
(2) Flat Shelf - 69" unit - Kit	DDFR-69	\$200
(2) Bottle Rail - 69" unit - Kit	DDBR-69	\$200
(2) Flat Shelf - 79" unit - Left Door Kit	DDFR-79L	\$200
(2) Bottle Rail - 79" unit - Left Door Kit	DDBR-79L	\$200
(2) Flat Shelf - 79" unit - Center Door Kit	DDFR-79C	\$200
(2) Bottle Rail - 79" unit - Center Door Kit	DDBR-79C	\$200
(2) Flat Shelf - 79" unit - Right Door Kit	DDFR-79R	\$200
(2) Bottle Rail - 79" unit - Right Door Kit	DDBR-79R	\$200
(2) Flat Shelf - 95" unit - All Doors - Kit	DDFR-95	\$200
(2) Bottle Rail - 95" unit - Left & Right Door kit	DDBR-95	\$200
(2) Bottle Rail - 95" unit - Center Door kit	DDBR-95C	\$200

Bar Doors

Description	Item	List Price
Black (except 79" unit) - All Doors	BBD	\$200
Black - 79" unit - Left Door	BBD-79L	\$200
Black Glass (except 79" unit) - All Doors	BBGD	\$450
Black Glass - 79" unit - Left Door	BBGD-79L	\$450
Stainless Steel (except 79" unit) - All Doors	BSD	\$250
Stainless Steel - 79" unit - Left Door	BSD-79L	\$250
Stainless Steel Glass (except 79" unit) - All Doors	BSGD	\$475
Stainless Steel Glass - 79" unit - Left Door	BSGD-79L	\$475



Glass Door



Black Door



Single Tower



Double Tower

Draft Tower

Description	Item	List Price
Single Tap	SDT	\$350
Double Tap	DDT	\$497



LIMITED WARRANTY



One Year Parts & Labor Warranty: Fagor Commercial, Inc. ("Fagor") warrants to the first-end-user purchaser (the "User") that the Fagor brand equipment sold hereunder, except for parts and accessories which carry the warranty of a supplier (the "Equipment") will be free from defects in material and factory workmanship under normal conditions of use and maintenance for a period of (1) one year from the date of Installation (Warranty Commencement date), but in no event to exceed (15) fifteen months from the date of shipment. Warranty is Not Transferable

Warranty Coverage: If there is a defect in material or factory workmanship covered by this Warranty reported to Fagor during the period the applicable Warranty is in force and effect, Fagor will repair or replace, at Fagor's option, that part of the Equipment that has become defective. Fagor will cover labor cost within one year from the Warranty Commencement date or 15 months from shipment date, whichever occurs first. Fagor shall bear all labor costs in connection with the installation of these replacement parts, provided that, the installation is conducted by Fagor or its authorized representative. Charges for warranty travel time to round trip total of (2) two hours or up to 100 miles total. Any charges exceeding those stated herein must have prior authorization by Fagor.

Additional Four Year Compressor Part Warranty: In addition to the warranty set above. Fagor warrants the hermetically and semi-hermetically sealed compressor (part only) for an additional four (4) years based on the installation date. This warranty is for defects both in workmanship and material under the normal and proper use and maintenance service. The four (4) year extended warranty only applies to hermetically and semi-hermetically sealed parts of the compressor and does not apply to any other part or component, including, but not limited to cabinet, temperature control, refrigerant, motor starting equipment, fan assembly, or any other electrical or mechanical component.

Parts Warranty Coverage: Fagor warrants all new machine parts produced or authorized by Fagor to be free from defects in material and workmanship for a period of 90 days from the Warranty Commencement Date. If any defect in material and workmanship is found to exist within the warranty period, Fagor will replace the defective part without charge. Defective parts become the property of Fagor.

Fagor will have no responsibility to honor claims received after the date the applicable Warranty expires. Notwithstanding the foregoing, any claim with reference to the Equipment or any parts therefore for any cause shall be deemed waived unless submitted by the User to Fagor within thirty (30) days after the date the User discovered, or should have discovered, the claim. In connection with all claims under this Warranty, Fagor will have the right, at its own expense, to have its representatives inspect the Equipment at the User's premises and to request all of User's records pertaining to the Equipment to determine whether a defect exists, whether the conditions set forth in this Warranty have been satisfied, and whether or not the applicable Warranty is in effect.

Exclusions from and Conditions to Warranty Coverage: This Warranty does not cover parts or accessories, which (a) carry the warranty of a supplier or (b) are, abused.

Application of this Warranty is further conditioned upon the following:

- Installation. The Equipment must be properly installed in accordance with Fagor's installation procedures.
- No Alteration. The Equipment must not have been modified or altered from its condition at the date of original installation.
- Use. FAGOR EQUIPMENT IS NOT DESIGNED FOR PERSONAL, FAMILY OR HOUSEHOLD PURPOSES, AND ITS SALE FOR SUCH PURPOSES IS NOT INTENDED. IN THE EVENT THE EQUIPMENT IS SO USED, THIS WARRANTY SHALL BE NULL AND VOID, AND THE EQUIPMENT SHALL BE DEEMED TO HAVE BEEN SOLD "AS IS-WHERE IS" WITHOUT ANY WARRANTY OF ANY KIND, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- Proper Maintenance and Operation. The Equipment must be properly maintained and operated in accordance with Fagor's maintenance and operating procedures. All service, labor and parts must be acquired from Fagor or its authorized service representative for the User's area.
- This warranty is void if failure is a direct result of handling &/or transportation, fire, water, accident, misuse, acts of god, attempted repair by unauthorized persons, improper installation, if serial number has been removed or altered, or if unit is used for purpose other than it was originally intended. Failure to comply with any of these conditions will void this Warranty. In addition, this Warranty does not cover defects due to apparent abuse, misuse or accident.

THE FOREGOING WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES NOT EXPRESSLY SET FORTH HEREIN, WHETHER EXPRESS OR IMPLIED BY OPERATION OF LAW OR OTHERWISE, INCLUDING BUT NOT LIMITED TO ANY REPRESENTATION OF PERFORMANCE AND ANY IMPLIED WARRANTIES OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. NO OTHER WARRANTIES ARE AUTHORIZED ON BEHALF OF FAGOR UNLESS SPECIFICALLY ISSUED BY FAGOR.



TERMS & CONDITIONS OF SALES



Terms: Standard payment terms a net 30 days. All orders are subject to credit approval. All Invoices not paid within the specified terms will be subject to a 1.5% per month delinquency charge. Buyer agrees to pay all costs of collection including such attorney's fees as may be allowed by law.

Acceptance: All orders are subject to acceptance by Fagor Commercial, Inc.

Prices: All prices are FOB Miami, Florida. Prices and specifications are subject to change without notice.

Taxes: This price list does not include any Federal, State, City or Local taxes, which may apply and are subject thereto.

Shipment: Requested carrier will be used upon request. Fagor has the right to ship via any responsible carrier if requested carrier is unavailable. Shipping charges are payable by consignee and any claims arising as such charges shall be resolved between the carrier and the consignee.

Damaged merchandise: The consignee must make all freight claims for damages in transit with the carrier. Fagor assumes no responsibility for damages while in transit.

Delivery: Shipping or delivery dates are approximates. Fagor is not responsible for any delays in deliveries that are beyond our control, such as fires, weather, and delays in transportation, strikes, or any contingencies of similar characters.

Cancellations & Returns: Cancelled orders and returned merchandise are subject to a 25% restocking and handling charge. Written authorization is required for a return of any equipment. All equipment returned must be in its original factory crate; freight prepaid and must be in the same condition as originally shipped by Fagor.



Fagor Commercial, Inc

13105 NW 47th Avenue
Miami, FL 33054
USA

Ph: (305) 779-0170
Fax: (305) 779-0173

info@fagorcommercial.com
www.fagorcommercial.com



MONDRAGON
HUMANITY AT WORK