




DRYING

FED-25 25LB CAPACITY ECONOMIC DRYER



Fagor commercial dryers are perfect for laundromats, hotels, hospitals, nursing homes, and more.

The Fagor Economic dryer is our base model, with buttons to control time and temperature. Efficient and fully able to meet your needs, without all the bells and whistles, this dryer is time-tested and easy to maintain.

ELECTRONIC PROGRAMMER

- M programmer
- Buttons to control temperature and time

OUTSTANDING FEATURES

- Reversing drum action, standard
- Galvanized steel drum, standard
- Frequency inverter, standard

EFFICIENCY

- Efficient, energy savings

VERSATILITY

- Make to order – customization
- Easily converts from OPL to COIN

ERGONOMICS

- Large loading doors
- Door opening direction reversal
- 180° opening hinges

MAINTENANCE

- Hinged front control panel – easy and ergonomic access
- Complete technical menu
- Common parts across all models

MORE INFO


- White panels
- Gas or electric
- Anti-wrinkle at end of cycle
- CE Approved

OPTIONS

- Rear door opening
- Rear panel external air inlet and filter
- Coin/token kit

TECHNICAL DATA
ECONOMIC DRYER | FED-25

FED-25		
DRUM		
Load capacity	lbs	25
Drum diameter	in	29.53
Drum depth	in	18.7
Drum volume	cu. ft.	7.41
Door opening diameter	in	22.60
Height from floor to bottom of door	in	38.43
Drum motor power	hp	0.5
GAS POWER		
Installed heating power gas	Btu/h	69,983
Evaporation capacity	Gal/h	3.95
Gas inlet	in	1/2"
VENTILATION		
Normal air flow	cfm	706
Vent size	in	8"
Fan motor power	hp	0.34
CONNECTIONS		
Voltage 110-120/60/1~ +G	FLA/A	8.4/20
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	in	30.91 / 34
Net depth / Gross depth	in	33.66 / 37
Net height / Gross height	in	66.69 / 72
Net weight / Gross weight	lbs	379 / 396




01 Power supply
02 Fumes output 8"
03 Gas inlet 1/2"

	A	B	C	D	E	F	G	H	I	J	K	L	M
in	66.69	56.97	27.13	2.68	30.91	33.66	28.94	14.96	34.25	22.64	48.27	5.24	7.09



DRYING

FED-30 30LB CAPACITY ECONOMIC DRYER



Fagor commercial dryers are perfect for laundromats, hotels, hospitals, nursing homes, and more.

The Fagor Economic dryer is our base model, with buttons to control time and temperature. Efficient and fully able to meet your needs, without all the bells and whistles, this dryer is time-tested and easy to maintain.

ELECTRONIC PROGRAMMER

- M programmer
- Buttons to control temperature and time

OUTSTANDING FEATURES

- Reversing drum action, standard
- Galvanized steel drum, standard
- Frequency inverter, standard

EFFICIENCY

- Efficient, energy savings

VERSATILITY

- Make to order – customization
- Easily converts from OPL to COIN

ERGONOMICS

- Large loading doors
- Door opening direction reversal
- 180° opening hinges

MAINTENANCE

- Hinged front control panel – easy and ergonomic access
- Complete technical menu
- Common parts across all models

MORE INFO


- White panels
- Gas or electric
- Anti-wrinkle at end of cycle
- CE Approved

OPTIONS

- Rear door opening
- Rear panel external air inlet and filter
- Coin/token kit

TECHNICAL DATA
ECONOMIC DRYER | FED-30

FED-30		
DRUM		
Load capacity	lbs	30
Drum diameter	in	29.53
Drum depth	in	24.02
Drum volume	cu. ft.	9.53
Door opening diameter	in	22.60
Height from floor to bottom of door	in	38.43
Drum motor power	hp	0.5
GAS POWER		
Installed heating power gas	Btu/h	69,983
Evaporation capacity	Gal/h	4.1
Gas inlet	in	1/2"
VENTILATION		
Normal air flow	cfm	706
Vent size	in	8"
Fan motor power	hp	0.34
CONNECTIONS		
Voltage 110-120/60/1~ +G	FLA/A	8.4/20
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	in	30.91 / 34
Net depth / Gross depth	in	38.94 / 42
Net height / Gross height	in	66.69 / 72
Net weight / Gross weight	lbs	379 / 419



01 Power supply
02 Fumes output 8"
03 Gas inlet 1/2"


	A	B	C	D	E	F	G	H	I	J	K	L	M
in	66.69	56.97	27.13	2.68	30.91	38.94	28.94	14.96	34.25	22.64	48.27	5.24	7.09



DRYING



FED-35 35LB CAPACITY ECONOMIC DRYER



Fagor commercial dryers are perfect for laundromats, hotels, hospitals, nursing homes, and more.

The Fagor Economic dryer is our base model, with buttons to control time and temperature. Efficient and fully able to meet your needs, without all the bells and whistles, this dryer is time-tested and easy to maintain.

ELECTRONIC PROGRAMMER

- M programmer
- Buttons to control temperature and time

OUTSTANDING FEATURES

- Reversing drum action, standard
- Galvanized steel drum, standard
- Frequency inverter, standard

EFFICIENCY

- Efficient, energy savings

VERSATILITY

- Make to order – customization
- Easily converts from OPL to COIN

ERGONOMICS

- Large loading doors
- Door opening direction reversal
- 180° opening hinges

MAINTENANCE

- Hinged front control panel – easy and ergonomic access
- Complete technical menu
- Common parts across all models

MORE INFO


- White panels
- Gas or electric
- Anti-wrinkle at end of cycle
- CE Approved

OPTIONS

- Rear door opening
- Rear panel external air inlet and filter
- Coin/token kit

TECHNICAL DATA
ECONOMIC DRYER | FED-35

FED-35		
DRUM		
Load capacity	lbs	35
Drum diameter	in	29.53
Drum depth	in	29.37
Drum volume	cu. ft.	11.64
Door opening diameter	in	22.60
Height from floor to bottom of door	in	38.43
Drum motor power	hp	0.5
GAS POWER		
Installed heating power gas	Btu/h	69,983
Evaporation capacity	Gal/h	4.3
Gas inlet	in	1/2"
VENTILATION		
Normal air flow	cfm	706
Vent size	in	8"
Fan motor power	hp	0.34
CONNECTIONS		
Voltage 110-120/60/1~ +G	FLA/A	8.4/20
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	in	30.91 / 34
Net depth / Gross depth	in	44.29 / 48
Net height / Gross height	in	66.69 / 72
Net weight / Gross weight	lbs	412 / 441



01 Power supply
02 Fumes output 8"
03 Gas inlet 1/2"


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
in	66.69	56.97	27.13	2.68	30.91	44.29	28.94	14.96	34.25	22.64	48.27	5.24	7.09	1.38	31.69



DRYING



FED-50 50LB CAPACITY ECONOMIC DRYER



Fagor commercial dryers are perfect for laundromats, hotels, hospitals, nursing homes, and more.

The Fagor Economic dryer is our base model, with buttons to control time and temperature. Efficient and fully able to meet your needs, without all the bells and whistles, this dryer is time-tested and easy to maintain.

ELECTRONIC PROGRAMMER

- M programmer
- Buttons to control temperature and time

OUTSTANDING FEATURES

- Reversing drum action, standard
- Galvanized steel drum, standard
- Frequency inverter, standard

EFFICIENCY

- Efficient, energy savings

VERSATILITY

- Make to order – customization
- Easily converts from OPL to COIN

ERGONOMICS

- Large loading doors
- Door opening direction reversal
- 180° opening hinges

MAINTENANCE

- Hinged front control panel – easy and ergonomic access
- Complete technical menu
- Common parts across all models

MORE INFO


- White panels
- Gas or electric
- Anti-wrinkle at end of cycle
- CE Approved

OPTIONS

- Rear door opening
- Rear panel external air inlet and filter
- Coin/token kit

TECHNICAL DATA
ECONOMIC DRYER | FED-50

FED-50		
DRUM		
Load capacity	lbs	50
Drum diameter	in	32.87
Drum depth	in	31.50
Drum volume	cu. ft.	15.54
Door opening diameter	in	22.60
Height from floor to bottom of door	in	40.55
Drum motor power	hp	0.5
GAS POWER		
Installed heating power gas	Btu/h	105,776
Evaporation capacity	Gal/h	5.9
Gas inlet	in	1/2"
VENTILATION		
Normal air flow	cfm	706
Vent size	in	8"
Fan motor power	hp	0.74
CONNECTIONS		
Voltage 110-120/60/1~ +G	FLA/A	12.8/20
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	in	35.04 / 37
Net depth / Gross depth	in	49.41 / 52
Net height / Gross height	in	71.34 / 77
Net weight / Gross weight	lbs	463 / 507




01 Power supply
02 Fumes output 8"
03 Gas inlet 1/2"

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
in	71.34	61.10	29.25	4.41	35.04	49.41	28.94	4.21	36.22	22.64	52.91	9.37	7.09	1.46	33.86



DRYING

FED-65 65LB CAPACITY ECONOMIC DRYER



Fagor commercial dryers are perfect for laundromats, hotels, hospitals, nursing homes, and more.

The Fagor Economic dryer is our base model, with buttons to control time and temperature. Efficient and fully able to meet your needs, without all the bells and whistles, this dryer is time-tested and easy to maintain.

ELECTRONIC PROGRAMMER

- M programmer
- Buttons to control temperature and time

OUTSTANDING FEATURES

- Reversing drum action, standard
- Galvanized steel drum, standard
- Frequency inverter, standard

EFFICIENCY

- Efficient, energy savings

VERSATILITY

- Make to order – customization
- Easily converts from OPL to COIN

ERGONOMICS

- Large loading doors
- Door opening direction reversal
- 180° opening hinges

MAINTENANCE

- Hinged front control panel – easy and ergonomic access
- Complete technical menu
- Common parts across all models

MORE INFO


- White panels
- Gas or electric
- Anti-wrinkle at end of cycle
- CE Approved

OPTIONS

- Rear door opening
- Rear panel external air inlet and filter
- Coin/token kit

TECHNICAL DATA
ECONOMIC DRYER | FED-65

FED-65		
DRUM		
Load capacity	lbs	65
Drum diameter	in	37.28
Drum depth	in	30.71
Drum volume	cu. ft.	19.42
Door opening diameter	in	31.57
Height from floor to bottom of door	in	40.94
Drum motor power	hp	0.74
GAS POWER		
Installed heating power gas	Btu/h	139,898
Evaporation capacity	Gal/h	8.4
Gas inlet	in	1/2"
VENTILATION		
Normal air flow	cfm	706
Vent size	in	8"
Fan motor power	hp	0.74
CONNECTIONS		
Voltage 110-120/60/1~ +G	FLA/A	12.9/20
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	in	38.78 / 41.50
Net depth / Gross depth	in	41.50 / 45.00
Net height / Gross height	in	76.50 / 82.50
Net weight / Gross weight	lbs	507 / 573



01 Power supply
02 Fumes output 8"
03 Gas inlet 1/2"


	A	B	C	D	E	F	G	H	I	J	K	L	M
in	77.76	75.20	25.98	5.55	38.78	41.50	38.19	2.76	28.74	31.57	69.61	13.27	7.01



DRYING



FED-80 80LB CAPACITY ECONOMIC DRYER



Fagor commercial dryers are perfect for laundromats, hotels, hospitals, nursing homes, and more.

The Fagor Economic dryer is our base model, with buttons to control time and temperature. Efficient and fully able to meet your needs, without all the bells and whistles, this dryer is time-tested and easy to maintain.

ELECTRONIC PROGRAMMER

- M programmer
- Buttons to control temperature and time

OUTSTANDING FEATURES

- Reversing drum action, standard
- Galvanized steel drum, standard
- Frequency inverter, standard

EFFICIENCY

- Efficient, energy savings

VERSATILITY

- Make to order – customization
- Easily converts from OPL to COIN

ERGONOMICS

- Large loading doors
- Door opening direction reversal
- 180° opening hinges

MAINTENANCE

- Hinged front control panel – easy and ergonomic access
- Complete technical menu
- Common parts across all models

MORE INFO


- White panels
- Gas or electric
- Anti-wrinkle at end of cycle
- CE Approved

OPTIONS

- Rear door opening
- Rear panel external air inlet and filter
- Coin/token kit

TECHNICAL DATA
ECONOMIC DRYER | FED-80

FED-80		
DRUM		
Load capacity	lbs	80
Drum diameter	in	37.28
Drum depth	in	36.85
Drum volume	cu. ft.	23.30
Door opening diameter	in	31.57
Height from floor to bottom of door	in	40.94
Drum motor power	hp	0.74
GAS POWER		
Installed heating power gas	Btu/h	139,898
Evaporation capacity	Gal/h	9.2
Gas inlet	in	1/2"
VENTILATION		
Normal air flow	cfm	706
Vent size	in	8"
Fan motor power	hp	0.74
CONNECTIONS		
Voltage 110-120/60/1~ +G	FLA/A	12.9/20
DIMENSIONS / PACKING DIMENSIONS		
Net width / Gross width	in	38.78 / 41.50
Net depth / Gross depth	in	47.64 / 51.50
Net height / Gross height	in	76.50 / 82.50
Net weight / Gross weight	lbs	573 / 628



01 Power supply
02 Fumes output 8"
03 Gas inlet 1/2"

	A	B	C	D	E	F	G	H	I	J	K	L	M
in	77.76	75.20	25.98	5.55	38.78	47.64	38.19	2.76	28.74	31.57	69.61	13.27	7.01